

Clickatell Callback Script

The Clickatell Callback Script is a script for the Scripting Gateway in Diafaan SMS Server. The script starts a basic HTTP server on port 80 and processes HTTP callback messages from Clickatell.

Add the script to the Scripting Gateway

The Clickatell Callback Script replaces the normal gateway script. After replacing the script, the Compile button can be used to check if the script works correctly.

If you get an error indicating that the file 'C:\Program Files (x86)\Diafaan SMS Server\HttpServer.dll' was not found, the file name and path in line 5 of the script must be changed to point to the file 'HttpServer.dll' in the installation folder of Diafaan SMS Server.

Test the script

You can use the following URI from a browser on your computer to test if the script is working properly:

```
http://localhost/?api_id=12345&from=279991235642&to=27123456789&timestamp=2008-08-0609:43:50&text=Hereisthe%20messagetext&charset=ISO-8859-1&udh=&moMsgId=b2aee337abd962489b123fda9c3480fa
```

If the script works, the response to this HTTP request is 'OK'.

Expose port 80 of your server to the Internet

Clickatell can only send the received messages to your server if port 80 of your server is accessible from the Internet. If you use a NAT router between your server and the Internet, incoming traffic to port 80 must be forwarded to your server.

Add your domain name or IP number to the Clickatell developer central

In the Clickatell developer central, you can add your domain name or IP number and the HTTP method that Clickatell will use to forward the received messages. The HTTP method can be both HTTP Get or HTTP Post.